

To: Durno, Mark[durno.mark@epa.gov]
From: Scott Smith
Sent: Wed 4/6/2016 2:18:15 PM
Subject: Re: Health complaint sampling results

.....
>>>>>>

5pm works – assuming my plane lands on time.

I think I have your cell phone from yesterday and can call that number at 5pm today.

Best Regards,

Scott Smith
Chief Technology Officer & Investigator
Water Defense
Twitter @WaterWarriorOne
(508) 345-6520

From:
Mark Durno <durno.mark@epa.gov>
Date: Wednesday, April 6, 2016 at 10:09 AM
To: Scott Smith <ssmith@waterdefense.org>
Subject: Re: Health complaint sampling results

Scott,

I'm booked until about 4:30 eastern. How does 5 pm sound? I could do later as well.

Sent from my iPhone

On Apr 6, 2016, at 9:58 AM, Scott Smith <ssmith@waterdefense.org> wrote:

Mark,

Thanks. I would like to follow up with you on a few things.

When would be a good time to call you today?

Best Regards,

Scott Smith
Chief Technology Officer & Investigator
Water Defense
Twitter @WaterWarriorOne
(508) 345-6520

From:
Mark Durno <durno.mark@epa.gov>
Date: Tuesday, April 5, 2016 at 3:36 PM
To: Scott Smith <ssmith@waterdefense.org>

Subject: Re: Health complaint sampling results

Just left you a voice mail.

Sent from my iPhone

On Apr 5, 2016, at 3:16 PM, Scott Smith <ssmith@waterdefense.org> wrote:

Mark / Shelly,

Just want to confirm on this data as to what was sampled. Sinks and/or showers and/or bathtubs?

Please confirm at your convenience.

Best Regards,

Scott Smith
Chief Technology Officer & Investigator
Water Defense
Twitter @WaterWarriorOne
(508) 345-6520

From:
Shelly Lam <lam.shelly@epa.gov>
Date: Monday, March 21, 2016 at 9:25 AM
To: Scott Smith <ssmith@waterdefense.org>
Cc: Mark Durno <durno.mark@epa.gov>, Shelly Lam <lam.shelly@epa.gov>
Subject: RE: Health complaint sampling results

Scott,

As you requested during our meeting yesterday, I am forwarding you trihalomethane results from samples collected by EPA and the City of Flint. We look forward to receiving your results. Please share when you have the opportunity.

Regards,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

U.S. Environmental Protection Agency

2525 N. Shadeland Avenue, Suite 100

Indianapolis, IN 46219

Office: 317-308-3073

Cell: 317-417-0980

From: Scott Smith [<mailto:ssmith@waterdefense.org>]

Sent: Saturday, March 19, 2016 4:57 PM

To: Lam, Shelly <lam.shelly@epa.gov>

Cc: Durno, Mark <durno.mark@epa.gov>

Subject: Re: Health complaint sampling results

Shelly,

Thanks for this data. I am also interested in obtaining TOC, VOC, SVOC data along with tentatively identified compound data frequently showing up on chromatograms.

Is this testing data available?

Best Regards,

Scott C. Smith (508-345-6520)

Chief Technology Officer & Investigator

ssmith@waterdefense.org

Twitter: @WaterWarriorOne

On Mar 19, 2016, at 2:50 PM, Lam, Shelly <lam.shelly@epa.gov> wrote:

Hi Scott,

It was nice to meet you earlier and find out more about the sampling Water Defense is doing in Flint.

As you requested, I am sending you analytical results from our health complaint sampling investigation. I have removed personally identifiable information such as addresses. Some of the data are preliminary. As such, we ask that you do not share it outside of your organization.

If you have any questions about the data, please let me know. I look forward to hearing more about the work Water Defense is doing.

Shelly Lam, LPG

Federal On-Scene Coordinator

U.S. Environmental Protection Agency

2525 N. Shadeland Avenue, Suite 100

Indianapolis, IN 46219

Office: 317-308-3073

Cell: 317-417-0980

<1st QTR DBP Results 2016_Redacted.pdf>